

WARNING:

This PDF file is for reference only and not to be used for the creation of production art. Colour printouts and screen displays should not be used for colour approval as colours may vary from device to device. The colour values for this file are defined in either Pan-

tone (PMS), HKS, or in process colours (CMYK).

For obtaining hard-copies in actual size (1:1)

you need to enter the proper settings in your printer options.

本PDF文档仅作为参照文件,不能将本文档用 于印刷生产或者制作菲林。

本文档的彩色打印版本或其在电脑屏幕中显示 的色彩,不可用于最终的色彩参照。因为硬件 或设备的差异,可能造成色彩的偏差。最终正 式的色彩清遵照由色板卡片PMS,HKS或者

OSRAM

CMYK(青红黄黑)所定义的色彩。 若本文档的打印件要获取1:1的原始尺寸,须 在打印选项中作出相应的设置。

20

ᅀᇤ

Δ

84

ŭ Ē

ĞΚ

FOR F

警告:

# RSC901 1 A SMART BATTERY CHARGER AND MAINTAINER

For all battery types, including lithium





G15126819\_UI\_RING\_Battery\_Starter\_RSC901\_GB\_MiCh\_03.indd 1

#90721 Cyan Magenta Yellow Black score dimension 148 x 210 mm 08.12.23 10:02



NOT

### WARNING:

This PDF file is for reference only and not to be used for the creation of production art. Colour printouts and screen displays should not be used for colour approval as colours may vary from device to device. The colour values for this file are defined in either Pantone (PMS), HKS, or in process colours (CMYK).

For obtaining hard-copies in actual size (1:1) you need to enter the proper settings in your printer options.

普告:

本PDF文档仅作为参照文件,不能将本文档用 于印刷生产或者制作菲林。 本文档的彩色打印版本或其在电脑屏幕中显示

▲ 又有的彩色打印版本或其住宅厕所無甲並示的色彩,不可用于最终的色彩参照。因为硬件或设备的差异,可能造成色彩的偏差。最终正式的色彩请遵照由色板卡片PMS,HKS或者CMK(青红黄黑)所定义的色彩。

若本文档的打印件要获取1:1的原始尺寸,须 在打印选项中作出相应的设置。

**OSRAM** 

### RSC901

# **1A SMART** BATTERY CHARGER AND MAINTAINER

For all battery types, including lithium

# Warnings

DANGER! BE AWARE, LEAD-ACID BATTERIES GENERATE EXPLOSIVE GASES DURING NORMAL BATTERY OPERATION. FOR THIS REASON, IT IS VERY IMPORTANT TO READ AND FOLLOW THESE INSTRUCTIONS CAREFULLY, EACH TIME YOU USE THE CHARGING EQUIPMENT.

WARNING! Modern vehicles contain extensive electronic systems. You are required to check with the vehicle manufacturer, for any specific instructions regarding the use of this type of equipment on each vehicle.

Charge in a well-ventilated area.

- DO NOT operate near flammable liquids or gases.
- DO NOT touch the clamps together or allow to touch the chassis.
- DO NOT connect the clamps via another metallic object.
- DO NOT cross connect power leads from charger to battery. Ensure positive (+/RED) is connected to positive and negative (-/BLACK) is connected to negative.
- DO NOT pull the cables or clamps from the battery terminals.
- DO NOT pull or carry the charger by the power cable.
- DO NOT pull the plug from the socket by the cable.
- DO NOT use worn or damaged cables, plugs or clamps. Any faulty item should be immediately repaired or replaced by a qualified technician.
- DO NOT use the charger for a task for which it is not designed.
- DO NOT cover or obstruct the charger ventilation louvres or fan.
- DO NOT at the same time charge batteries of different capacities or discharge levels.

For list of General Power Tool Safety Warnings please scan the QR code or visit: www.ringautomotive.com/en/product-safety-documents





2

G15126819\_UI\_RING\_Battery\_Starter\_RSC901\_GB\_MiCh\_03.indd 2-3

#90721 Cyan Magenta Yellow Black score dimension 148 x 210 mm







#90721 Cyan Magenta Yellow Black score dimension 148 x 210 mm







6

NOT

### WARNING:

This PDF file is for reference only and not to be used for the creation of production art. Colour printouts and screen displays should not be used for colour approval as colours may vary from device to device. The colour values for this file are defined in either Pantone (PMS), HKS, or in process colours (CMYK).

For obtaining hard-copies in actual size (1:1) you need to enter the proper settings in your printer options.

### 警告:

本PDF文档仅作为参照文件,不能将本文档用 于印刷生产或者制作菲林。

本文档的彩色打印版本或其在电脑屏幕中显示 的色彩,不可用于最终的色彩参照。因为硬件 或设备的差异,可能造成色彩的偏差。最终正 式的色彩请遵照由色板卡片PMS,HKS或者 CMYK(青红黄黑)所定义的色彩。


若本文档的打印件要获取1:1的原始尺寸,须 在打印选项中作出相应的设置。


**OSRAM** 

### **RSC901**

# **1A SMART BATTERY CHARGER AND MAINTAINER**

For all battery types, including lithium





**5**b

16 V

12 V

16V LFP

≤7.4V

≤7.2V

≤14.6V

≤1A

≤1A

≤1A

G15126819\_UI\_RING\_Battery\_Starter\_RSC901\_GB\_MiCh\_03.indd 4-5


4

#90721 Cyan Magenta Yellow Black score dimension 148 x 210 mm

#90721 Cyan Magenta Yellow Black score dimension 148 x 210 mm

**5c** 







Δ FOR

NOT

WARNING: This PDF file is for reference only and not to be used for the creation of production art. Colour printouts and screen displays should not be used for colour approval as colours may vary from device to device. The colour values for this file are defined in either Pan-tone (PMS), HKS, or in process colours (CMYK). For obtaining hard-copies in actual size (1:1) you need to enter the proper settings in your printer options. ###.

### 警告:

本PDF文档仅作为参照文件,不能将本文档用 于印刷生产或者制作菲林。

本文档的彩色打印版本或其在电脑屏幕中显示 的色彩,不可用于是终的色彩参照。因为硬件 或设备的差异,可能造成色彩的偏差。最终正 式的色彩清遮照由色板卡片户MS,HKS或者 CMYK(青红黄黑)所定义的色彩。


若本文档的打印件要获取1 : 1的原始尺寸,须 在打印选项中作出相应的设置。



## **RSC901**

# **1A SMART BATTERY CHARGER AND MAINTAINER**

For all battery types, including lithium



G15126819\_UI\_RING\_Battery\_Starter\_RSC901\_GB\_MiCh\_03.indd 6-7

6

#90721 Cyan Magenta Yellow Black score dimension 148 x 210 mm

#90721 Cyan Magenta Yellow Black score dimension 148 x 210 mm





08.12.23 10:02

7

### WARNING:

This PDF file is for reference only and not to be used for the creation of production art. Colour printouts and screen displays should not be used for colour approval as colours may vary from device to device. The colour values for this file are defined in either Pantone (PMS), HKS, or in process colours (CMYK).

For obtaining hard-copies in actual size (1:1) you need to enter the proper settings in your printer options.

### □ 警告:

d.

DUCTION

0

a

Ģ

NOT

本PDF文档仅作为参照文件,不能将本文档用 于印刷生产或者制作菲林。

本文档的彩色打印版本或其在电脑屏幕中显示 的色彩,不可用于最终的色彩参照。因为硬件 或设备的差异,可能造成色彩的偏差。最终正 式的色彩请遵照由色板卡片PMS,HKS或者 CMYK(青红黄黑)所定义的色彩。

> 若本文档的打印件要获取1:1的原始尺寸,须 在打印选项中作出相应的设置。



## RSC901 **1A SMART BATTERY CHARGER AND MAINTAINER** For all battery types, including lithium



RING

an battery types, menuting itinu





Surrounding items may emit fumes

This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance. For indoor use only. Charging only rechargeable Batteries. Disconnect the supply before making or breaking the connections to the battery. WARNING: Explosive gases. Prevent flames and sparks. Provide adequate ventilation during charging, the battery must be placed in a well ventilated area. WARNING: Use of unauthorized parts or failure to follow maintenance Instructions may create a risk of electric shock or injury. File instructions for future reference. Store the manual in a safe place.

Use in a well

ventilated area



Imported by

Germany

OSRAM GmbH

13629 Berlin

www.osram.com

Nonnendammallee 44



Risk of

electric shock

UK UK Conformity mark Risk of

hazardous materials

CE

EU

Conformity

mark

WEEE (Waste Electrical and Electronic Equipment Directive)



Battery may

emit fumes



Do not cover

Manufactured by Ring Automotive Limited Volvox House, Gelderd Road, LEEDS, LS12 6NA, UNITED KINGDOM Telephone +44 (0)113 213 2000 Fax +44 (0)113 231 0266 Email autosales@ringautomotive.com www.ringautomotive.com

G15126819\_UI\_RING\_Battery\_Starter\_RSC901\_GB\_MiCh\_03.indd 8

#90721 Cyan Magenta Yellow Black score dimension 148 x 210 mm

PAPER

6

C10449058

G15126819

08 12 23